





A bit about me...

- Co-Founded DREAMDEV TECHNOLOGIES LIMITED in 2020
National Enterprise Awards – Overall Winner 2024
- 20+ years experience in Software Engineering
 - Freelance consultant for 10+ years in Ireland and the UK
- Co-Founder ArcPilot.ai, the AI Software Architecture Co-pilot



ArcPilot

Bootstrapping & Behavioural Context



ArcPilot

**A Quick look at
what we are
working on...**

Let's set some context **Context**





The state of AI Development Mid February 2025

If I connect an entire code repository to an LLM today, and ask it to implement something complex following my org's best practices..

I don't expect it to work... [1]

.....This is true as of (February 2025 🤔)



[1][Lost in the Middle: How Language Models Use Long Contexts](#) –Nelson F. Liu et al

LLM performance Doesn't scale

“When the size and difficulty of a maths problem increases, increases, the probability of a correct answer decreases exponentially with the exponentially with the number of steps involved” [1]



[1] [GSM-Symbolic: Understanding the Limitations of Mathematical Reasoning in Large Language Models](#) – Apple 2024

A look at the profile of the Augmented Engineer

- Not all engineers are equipped to exploit the capabilities of the LLM
- Highly knowledgeable
- Self motivated, self organizing
- Understands the technology intimately
- Understands the business problem...
 - Let's call him Karl.. 😊



A look at the profile of the Augmented Engineer

- Unfortunately, we're not all Karl... Exceptional engineers are required to get exceptional results
- The Engineer must have an established internal "Programming Model"



[1] [Lost in the Middle: How Language Models Use Long Contexts](#) –Nelson F. Liu et al



Product based Delivery

Feature Request

Development accounts for
10.5%
OF TOTAL LEAD TIME

GitHub Copilot improves developer productivity by 26%
Or in our example
2.73%
Reduction in Lead Time
<https://devops.com/measuring-github-copilots-impact-on-engineering-productivity/>

System definition
- Prototyping

Design
- Sprint Planning
- Tech Review

Code Review
- Testing

User Feedback
- Metric Analysis

Monitoring
- Perf analysis

Total Avg lead time: 19 days | Value added time: 13 days | Non Value added time 6 days | Total FTT: 84%



Project Based Delivery

Project Request

Development accounts for

22%

OF TOTAL LEAD TIME

GitHub Copilot improves developer productivity by 26%

Or in our example

5.72%

Reduction in Lead Time

<https://devops.com/measuring-github-copilots-impact-on-engineering-productivity/>

- Business Case
- Requirements
- Stakeholder sign-off

- System Design
- Technical Spec
- Arc. Review

- Development
- Unit Testing
- Code Review

- System Testing
- Int Testing
- UAT

- Release Planning
- Prod. Deploy
- HOTO

Total Avg lead time: 159 days | Value added time: 112days | Non Value added time 47 days | Total FTT: 70%

**How we make
the most of
AI,
by playing to
it's strengths**





Technique number 1

Bootstrapping

- **Traditional code generation is 100% deterministic...**
- Boilerplate code makes up to 70% of a modern software solution...
- Writing a code templates are incredibly difficult and time consuming.... **Unless you are an AI are an AI**
- Encapsulate your project setup in a templates.
- Make it easy to standup entire backend services, UI components, Endpoints, Database migration Database migration scripts, Database Schema Migrations, Perf/ Unit/ Integration/Security Tests. Integration/Security Tests.
- Template CI/CD Pipelines and IaC



Technique number 2

File Relationship Mapping

File systems are complex, without intimate knowledge can be difficult to navigate.

An LLM with 2 simple prompts, run in batches over your Repo, will generate a really comprehensive architectural map of your code base...



Technique number 3

Behavioural Context

We can express any system in 2 ways...

1. As a representation of it's technical parts...
2. As a sum of it's behaviours

If we assume the YAGNI principal stands, every line of code should have a reason to exist.. As being exist.. As being part of

1. A behaviour
 1. Command, Event Triggered Command, Query
2. Data Type

- If we can categorise these reasons, we can tag the Behavioural context of your file base... base...
- This passed ot the LLM is a powerful way to provide instant context to the developer, tight context tight context for the AI, and simple pair programming over a branch



Thank you!